

### STATE OF HAWAII

DEPARTMENT OF LAND AND NATURAL RESOURCES COMMISSION ON WATER RESOURCE MANAGEMENT FOLOMICIAL USE ONLY:
RECEIVED
COMMISSION ON WATER
RESOURCE MANAGEMENT

2009 APR 22 AM 8: 13

APPLICATION FOR SURFACE WATER USE PERMIT FOR *EXISTING USE* IN THE NA WAI EHA, MAUI, SURFACE WATER MANAGEMENT AREAS

**ORIGINAL** 

FORM SWUPA-E (NA WAI EHA, MAUI)

For detailed inst	ructions on filling out t	this application, refer to the attac	ched instructions.		Event ID:
APPLICANT	INFORMATION:	Malay In accordance with \$1740			
a terminable inter	rest or estate in the land,	Note: In accordance with §174C- , which is the water source of the pe	51(1)(B), HRS, In the event a ramitted water, applies for a wa	lessee, licensee, de	eveloper, or any other person with
joint applicant for 1. APPLICANT'S	are water pointing.	Applicant's Contact			
1. APPLICANT'S Wailuku Water C		Applicant's Contact Clayton Suzukii	2. SOURCE LANDOWNE		Source Landowner's Contact
TT WILLIAM	Ompany	Clayton Suzukn	Wailuku Water Company	<i>'</i>	Clayton Suzuki
_	fress, or Principal Place of Busine	ess	Source Landowner's Mailing Addre	ess, or Principal Place of	Business
255 East Waiko R Wailuku, Hi 9679			255 East Waiko Road		
Walluku, 111 7077	73		Wailuku, Hi 96793		
l					
Applicant's Phone	Applicant's Fax	Applicant's E-mail	Source Landowner's Phorie	Source Landowner's	
808-244-2208	808-242-7068	csuzuki@wailukuwater.com	808-244-2208	808-242-7068	csuzuki@wailukuwater.com
A STATE COMPLETE STATE OF STATE	OURCE INFORMA				
The following mus	at be attached before this	s application is accepted as complet	te:		200 personal accessors and a second
<ul> <li>Portion of 7.5-Mi</li> </ul>	linute Series USGS topog	graphic map (scale 1:24,000) labele	ed with stream and diversion lo	cations and quad r	map name.
• Photograph(s) of	of the surface water divers	stream or diversion location, and loc rsion works and end use.	ation of water use referenced in	to established prop	perty boundaries.
	ATER HYDROLOGIC UN	NIT AND CODE:	32 ⊠ Waiehu/6023	⊠ lao/6024	☑ Waikapu/6001
4 DIVERSION LO	OCATION: Choose the	appropriate category and enter info	22 —	Z 140.001	W Walkapurood
		See Exh			
4a. TMK OF 3	STREAM DIVERSION LO	OCATION:	nibi <sup>Blat</sup> A Parcel	_	
4b. TMK OF I	DITCH DIVERSION LOC	CATION:	:		
5. STREAM DIVE	RSION: How is water d	Zone Sector  diverted from the stream to your prop			
		wai 🔲 Other Describe:	Jeity: Officer all triat app.,.		
		war □ Other Describe. tream or ditch? □ Yes. ☒ No. If	for how much water in return		
	REMENT INFORMATION		yes, now much water is retuin	ied?	
		meter with totalizer or other device	to measure diverted amounts?	<i>?</i>	
Yes. Ente	er the installation date:	See Exhibit A			
Describe th	he device and enter mea	asured amounts in Table 1.			
☐ No. Expla	ain how you are measurir	ing flow to justify amounts shown in	Table 1 in the space below		
EXISTING US	SER INFORMATIO	ON			The state of the s
7. APPURTENAN		aim an appurtenant right for your wat	eter use?	<b>⊠</b> Yer	s [] No
	• • • • • • • • • • • • • • • • • • • •	the appurtenant right been establis			s ⊠ No
8. END USER INF	****	an end user on an existing water sy		11331011:	i M M
<b></b>	•	who is the operator of the water system			
• REGISTRATION		OF WATER USE: Do you have a F	· · · · · · · · · · · · · · · · · · ·		
			Registration and Declaration of	i Water Use with th	ie Commission?
	the file reference name(s)	s): Wailuku Agrib			
No STREAM DIVE					
	ERSION WORKS PERMI	, ,			
	been issued a SDWP by	y the Commission?			
Yes. List th	he permit number(s):				
⊠ No			-		
NOTE: Signing bel	low indicates that the sign	natories understand and affirm that	t the information provided on the	nie application is ac	coursts and true to the hest of
neir knowleage. Fi	unnermore, the signatoric	ies understand that: 1) if necessary.	/. further information may be rec	cuired before the a	annlication is considered
complete; 2) if a wa yields and instream	ater use permit is granted i flow standards, Hawaiiai	d by the Commission, this permit will an Home Lands uses, and any other	ill be subject, but not limited, to er conditions imposed by the Co	o any existing legal ι ommission: and	uses, changes in sustainable
3) the applicant is	responsible for paying	g the required public notice fees a	associated with this applicati	ion.	
11. APPLICANT	VIII		12. SOURCE LANDOWNE		
1/	1/4/1				
Mu	in Lach				
Signature	177	A	Signature		
AVER	VB CHIMI	HPY 4-20-09	Jighature		
Print	P D	Date	Print		Date

### TABLE 1: 12-MONTH AVERAGE DAILY USE

Measured or Calculated Use of Water at the Source: (Check one) ⊠Stream □Ditch □Auwai As of the Effective Date of Designation, April 30, 2008

	AVERAGE DAILY USE FOR		Check one ite	m per box		
MONTH / YEAR	THE MONTH IN GALLONS PER DAY (GPD)	METERED	ESTIMATED	ACTIVE BUT UNKNOWN	INACTIVE	OTHER Please describe
May 2007	3,258,000		$\boxtimes$			See attached sheet labeled
June 2007	2,291,000		$\boxtimes$			Table 1 attachment and executive
July 2007	4,278,000		$\boxtimes$			summary of the Broadbent Study
August 2007	3,099,000		$\boxtimes$			
September 2007	3,408,000		$\boxtimes$			
October 2007	3,587,000					
November 2007	3,283,000		$\boxtimes$			
December 2007	3,533,000					
January 2008	3,145,000		$\boxtimes$			
February 2008	2,797,000		$\boxtimes$			
March 2008	3,116,000					
April 2008	2,291,000					
SUM OF AVERAGE AILY USE FOR THE MONTH		GPD	<u>'                                    </u>			
AVERAGE DAILY USE (Average of the above)	2 174 000	GPD				

## TABLE 2: LAND USE CONSISTENCY/EFFICIENCY

(Attach additional copies of Table 2 if necessary)

To Application uses, fill in Table 3.  10. Application for REQUESTED QUANTITY OF USE FOR ITEM 7 if applicable, attach sheets to show how this number was calculated. For irrigation uses, fill in Table 3.
_
See Exhibit B
pove.
_

### **TABLE 3: IRRIGATION INFORMATION**

List all crops as separate line items and include landscape and golf course irrigation, grown in the 12 months prior to April 30, 2008. Attach additional copies of Table 3 if necessary.

1. USE TAX Attach map o	MAP KEY (Toutlining area	MK) and photo.		2. CROP	3. TOTAL ACREAGE	4. NET IRRIGATED ACREAGE	5. BEGIN ROWTH PERIOD (Month)	*6. END GROWTH PERIOD (Month)	7. IRRIGATION SYSTEM (Refer to instructions.)	8 IRRIGATION PRACTICE (Refer to instructions.
									The state of the s	(Neighborn Company)
Zone	Sector	Plat	Parcel		-					
Zona	Sector	Plat	Parcel							
		-								
Zone	Sector	Plat	Parcel							
Zona	Sector	Plat	Parcel							¥
Zone	Sector	Plat	Parcel		Wailuku Water Company	is not an end user				
		-								
Zone	Sector	Plat	Parcel							
Zone	Sector	Plat	Parcel							
Zone	Sector	- Plat	-							
-	-		Parcel							
Zone	Sector	Plat	Parcel							
Zone	Sector	Plat	Parcel							

#### **TABLE 4: ALTERNATIVES ANALYSIS**

	Potable Alternatives Attach additional sheets if necessary.	Non-Potable Alternatives Attach additional sheets if necessary.
Municipal sources	Wailuku Water Company use of municipal water for customers is cost prohibitive	Water for non potable use is not available from the municipal source
Wastewater reuse	The Kahului Wastewater Treatment plant has no feeder lines in the area, the cost to install a distribution line from the treatment plant to Wailuku's Ditch System is cost prohibitive	The Kahului Wastewater Treatment plant has no feeder lines in the area, the cost to install a distribution line from the treatment plant to Wailuku's Ditch System is cost prohibitive
Ditch system	There are no other ditch system available	There are no other ditch system available
Desalinization	There are no Desalinization plants on Maui	There are no Desalinization plants on Maui
Ground water	Pumping of ground water is cost prohibitive	Pumping of ground water is cost prohibitive
Other (specify)	Storm Water reclamation has no facilities as of this date	Storm Water reclamation has no facilities as of this date

#### **PUBLIC INTEREST**

§174C-2(c) states that: The state water code shall be liberally interpreted to obtain maximum beneficial use of the waters of the State for purposes such as domestic uses, aquaculture uses, irrigation and other agricultural uses, power development, and commercial and industrial uses. However, adequate provision shall be made for the protection of traditional and customary Hawaiian rights, the protection and procreation of fish and wildlife, the maintenance of proper ecological balance and scenic beauty, and the preservation and enhancement of waters of the State for municipal uses, public recreation, public water supply, agriculture, and navigation. Such objectives are declared to be in the public interest.

Explain below how the uses in your application are consistent with the public interest as described above. Attach additional sheets if necessary.

Wailuku Water Company, LLC and its predecessors have operated its ditch system to deliver waters diverted from the Na Wai Eha stream as far back as the mid -1800's. Initially in 1862 the ditch systems delivered waters diverted from the streams to irrigate sugarcane.

Weiluku and its predecessors have operated its ditch system to deliver waters diverted from the streams to irrigate sugarcane.

Weiluku and its predecessors have operated its ditch system to deliver waters diverted from the streams to irrigate sugarcane.

Wailuku and its predecessors have used the system to divert water from the streams to deliver to users for agricultural, industrial, commercial and domestic purposes from the inception of the system to the present. The delivery of water has been and will be used to obtain maximum beneficial uses of these waters.

The instant application is for system losses from evaporation, seepage and operational requirements of the system. The system losses are reasonable losses consistent with the delivery capacity of the system and the on going maintenance, repair and upgrading of the system.

## Wailuku Water Company

### Stream Diversions and Gauging

### Exhibit A

Stream:	TMK:	Diversion:	Gauging:	Date Installed
Waihee Stream	TMK: 3-2-014-0001	Waihee Ditch (6022)	Weir with 24 Hour gauge	1907
Waihee Stream	TMK: 3-2-014-0001	Spreckels Ditch (6022)	Weir with 24 Hour gauge	Unknown
North Waiehu Stream	TMK: 3-2-014-0001	North Waiehu Ditch (6023)	Concrete Weir	Unknown
lao Stream	TMK: 3-3-003-0003	lao-Maniania Ditch (6024)	Weir with 24 Hour gauge	Unknown
lao Stream	TMK: 3-3-003-0003	lao-Waikapu Ditch (6024)	Weir with 24 Hour gauge	Unknown
Waikapu Stream	TMK: 3-6-003-0001	South Waikapu Ditch (6001)	Concrete Weir	Unknown
Waikapu Stream	TMK: 3-5-011-0049	Waihee Ditch (6001)	Visual Estimate	Unknown
Waikapu Stream	TMK: 3-5-011-0049	Reservoir 6 (6001)	Visual Estimate	Unknown
01/28/09				

## Wailuku Water Company Table 1 Attachment

Wailuku Water Company uses a loss percentage of 7.34% of total diversions as measured from the seven stream diversions. On Waihee Stream there are two diversions, Waihee Ditch diversion and the Spreckles Ditch diversion. On North Waiehu Stream there is the North Waiehu Ditch diversion. On Iao Stream there is the Iao diversion. On Waikapu Stream, there is the South Waikapu Ditch diversion, Waihee Ditch diversion and the Reservoir 6 diversion. Several intakes are closed, Field 1 intake on Waihee Stream, Waihee Ditch intake on North Waiehu Stream and Everett Ditch intake on Waikapu Stream.

In 1988 Edward Broadbent was commission by then Wailuku Agribusiness Company, Inc. to do a study on <u>Losses in and Kuleana Uses from Ditch Systems, Losses in Reservoirs, Condition of Flow Measurement Stations</u>. Attached is the summary of the study.

In the study, at a flow of 55 MGD the losses plus kuleana flow equaled 11.5 MGD. The kuleana uses is reported at 5.3 MGD resulting in a net loss of 6.2 MGD at 55 MGD. The 6.2 MGD losses from a total flow of 55 MGD equal an 11.3% loss. Wailuku Water Company in using the study did work on it's ditches and saved an estimated 2.16 MGD. This resulted in a 4.04 net loss from the previous total of 6.2 MGD. The 4.04 MGD loss in 55 MGD flow is the current loss used at 7.34%.

#### EXECUTIVE SUMMARY

Measurements and observations on about 89% of the length of Wailuku Agribusiness' six main mountain supply ditches, and the six remaining storage reservoirs, showed an averaged total of about 11.5 million gallons per day ("MGD") diverted to kuleana users and lost by leakage and/or seepage. The ditches showed about 92% of the total. These uses and losses were about 19% of the average inflow total of 55.0 MGD. Losses under median conditions are probably less as explained in Section B of this report.

All kuleana diversions were from the Spreckels Ditch; separation of these diversions from true losses will require additional measurements. The largest losses only, 3.7 and 4.9 MGD, were from the Waihee Ditch between Waihee and Wailuku. This ditch portion was also highest in per mile loss; it should be the first priority of a loss reduction program.

Measurements and observations of the six permanent flow measurement stations showed considerable inaccuracies due to structural deterioration, "drowned" hydraulic conditions and incorrect zero flow settings of indicators and instruments. Four of the operating stations over-indicated flows, with the ratio of indicated to measured flows from 1.06 to 2.48; one under-indicated by a ratio of .92.

Since the Waihee Ditch flow measurement is the primary indicator of mountain supplies in Wailuku Agribusiness' water management, the rehabilitation of its Parshall Flume should be first priority in a measuring station rehabilitation program.

## Wailuku Water Co.

Exhibit B


Table 2: Land Use Consistency/Uses that do not require potabale water

2. TMK:	3. State Land Use	1	e Consistency/Uses 5. County Zoning	6. SMAP Required	7. Requested	8. Sub Metered	9. Units or Net	10. Applicant's
2. 1111.	0. 0.0.0		Code		Quantity of Use		Acreage	Justification
3-2-01-01	Agricultural	No	Ag & Interim	No		No	GPD	Ditch System Losses
3-2-13-15	Agricultural		Ag & Interim	No		No	GPD	Ditch System Losses
3-2-14-001	Conservation		Interim	No		No	GPD	Ditch System Losses
3-2-17-18	Agricultural	No	Ag, Rural 1/2 acre	No		No	GPD	Ditch System Losses
3-3-01-033	Urban	No	W/K PD 2	No		No	GPD	Ditch System Losses
3-3-02-01	Conservation	Yes, Not acquired	Ag & Interim	No		No	GPD	Ditch System Losses
3-3-02-01	Agricultural	No	Ag & Interim	No		No	GPD	Ditch System Losses
3-3-02-020	Agricultural	No	Agriculural	No		No	GPD	Ditch System Losses
3-3-02-30	Agricultural	No	Ag & Interim	No		No	GPD	Ditch System Losses
3-3-03-003	Conservation	Yes, Not acquired	Interim	No		No	GPD	Ditch System Losses
3-3-017-186	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-01-01	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-01-50	Agricultural	No	Ag & R-3 Res	No		No	GPD	Ditch System Losses
3-5-01-67	Urban	No	W/K PD 3	No		No	GPD	Ditch System Losses
3-5-02-02	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-02-03	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-02-07	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-03-001	Conservation		Interim & Rural 1/2 Ac	No		No	GPD	Ditch System Losses
3-5-04-18	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-5-04-097	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-04-098	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-11-49	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-11-81	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-016-108	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-016-109	Urban	No	Ag	No		No	GPD	Ditch System Losses
3-5-032-108	Urban	No	R-2 Residential	No		No	GPD	Ditch System Losses
3-5-032-109	Urban	No	R-2 Residential	No		No	GPD	Ditch System Losses
3-5-032-110	Urban	No	R-2 Residential	No		No	GPD	Ditch System Losses
3-6-03-001	Conservation	Yes, Not acquired	Interim	No		No	GPD	Ditch System Losses
3-6-04-03	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-6-04-06	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-6-04-12	Agricultural	No	Ag	No		No	GPD	Ditch System Losses
3-6-05-68	Agricultural	No	Ag	No		No	GPD	Ditch System Losses

Total Non-Potable Use Total Use Requested 3,174,000

GPD GPD

3,174,000



## Surface Water Use Permit Pictures

- 1. Picture of Waihee Ditch Intakes North and South
- 2. Picture of Spreckels Ditch and North Waiehu Ditch Intakes
- 3. Picture of Iao Intake and South Waikapu Ditch Intake
- 4. Picture of Waihee Ditch on Waikapu Stream Intake and Reservoir 6 Intake
- 5. Picture of Waihee Ditch and Spreckels Ditch Gauges
- 6. Picture of North Waiehu and South Waikapu Ditch Gauges
- 7. Pictures of Iao-Waikapu and Iao-Maniania Ditch Gauges




Waihee Ditch Intake North



Waihee Ditch Intake South




Spreckels Ditch Intake



North Waiehu Ditch Intake



Iao Stream Intake



South Waikapu Ditch Intake



Reservoir #6 Intake



Waihee Ditch Intake on Waikapu Stream



Waihee Ditch Gauging Station



Spreckels Ditch Gauging Station



North Waiehu Ditch Gauge



South Waikapu Ditch Gauge



Iao Maniania Ditch Gauge



Iao Waikapu Ditch Gauge